

FEEDING DIRECTIONS:

Provide free-choice as a supplement to **pasture cattle** at the rate of one block for each 15 to 25 head. Place blocks in each pasture near areas frequented by livestock, such as watering locations, shade or loafing areas. Cattle normally consume approximately 3/4 pound per head daily. Consumption may vary depending on climate, grazing conditions, condition of livestock, and/or availability of other feeds. In situations where climate and/or other factors result in consumption of less than 3/4 pound per head daily, intake of supplement can be increased by increasing the number of blocks per pasture.

Provide access to fresh water and free-choice salt at all times.

GUARANTEED ANALYSIS:

Crude Protein, Min.....	22%
Crude Fat, Min.....	5%
Cobalt, Min.....	3 (ppm)
Copper, Min.....	300 (ppm)
NPN, Max.....	10%
Iodine, Min.....	15 (ppm)
Calcium, Min.....	2.3%
Calcium, Max.....	2.8%
Selenium, Min.....	7 (ppm)
Manganese, Min.....	1,200 (ppm)
Phosphorus, Min.....	2%
Zinc, Min.....	1,200 (ppm)
Magnesium, Min.....	2%
Vitamin A, Min.....	80,000 IU/lb
Potassium, Min.....	2%
Vitamin D, Min.....	8,000 IU/lb

Vitamin E, Min.....80 IU/lb